

TREE SPECIES SITE MATCHING IN KENYA OCTOBER 2018

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
I (Over 1800 mm rainfall)	900 mm	1000 mm	<i>Ocotea usambarensis</i>	Camphor	Plantation/ mixed systems	Timber	Medium to long (30-60 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	1600-2500	Volcanic deep loamy soils
			<i>Acacia mearnsii</i>	Black wattle	Woodlot	Fuel wood, tannins	Short (5-10 years)		1600-2000	Volcanic deep loamy soils
			<i>Polyscias kikuyuensis</i>	Mutati (Kik)	Mixed, enrichment and natural systems	Peeler wood for boards	Medium (30-40 yrs)		1600-2500	Variable, red to loamy clay soils
			<i>Prunus africana</i>	Muiri (Kik)	Plantation/mixed /enrichment planting systems	Timber, medicinal	Medium to long (30-60 yrs)		1600-2500	Variable from highland red loamy to volcanic deep soils
			<i>Pinus patula</i>	Pine	Plantation	Timber/ paper	Short (16-20 yrs pulp) (25-30 yrs for timber)		1600-3000	Deep wet loams, but adaptable to variable soils but not clay and water-logged soils
			<i>Vitex keniensis</i>	Meru oak	Plantation /natural management system	Timber, ornamental, soil improver	Medium to long (30-60 yrs)		1700-2200	Deep volcanic, red to loamy clay soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Podocarpus gracilior</i>	Podo	Plantation /mixed /amenity	Timber, amenity	Medium to long (30-60 yrs), (pulp 16-20 yrs) (timber 25-30 yrs)		1800-2400	Red to loamy clay and volcanic soils
			<i>Cupressus lusitanica</i>	Cypress	Plantation	Timber/hedge /shelter belts	Short (25-30 yrs)		1800-3000	Well adaptable to variable highland soils
			<i>Acacia melanoxylon</i>	Black wood	Plantation/mixed planting	Soil conservation, timber, fuel	Short (8 yrs) (30 yrs timber)		2000-3000	Variable deep red to loamy sandy soils
			<i>Arundinaria alpina</i>	Bamboo (Murangi)	Plantation, boundary, groves, soil protection	Building, fencing, handicraft, soil protection	Short (6-10 yrs)		2200-3000	Deep red to volcanic loamy soils
II (1400 - 1800 mm rainfall)	700-900	800mm	<i>Markhamia lutea</i>	Markhamia (Eng), Siala (Luhya)	Woodlot/amenity/agroforestry	Timber/amenity soil nutrient enhancement, apiculture, ornamental	Short (15-30 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	>1400	Red loam to clay loamy soils
			<i>Chlorophora excelsa</i> (Syn. <i>Milicia excelsa</i>)	Mvule	Plantation/mixed planting	Timber/Shade	Medium to long (30-60 yrs)		0-1400	Variable sandy to deep soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Grevillea robusta</i>	Mukima (Kik)	Plantation, hedge planting, agroforestry, woodlot, shelterbelt system	Timber, fuel, fodder, poles	Short (6 yrs for pole)(30 yrs for timber)		0-2500	Mostly variable but loves deep red soils
			<i>Phoenix reclinata</i>	Wild date Palm	Mixed system amenity	Water conservation, basketry, ornamental	Medium to long (30-60 yrs)		0-3000	Swampy and riparian soils
			<i>Croton megalocarpus</i>	Mukinduri	Plantation/mixed /enrichment/ natural systems	Fuel, poles, construction, peeler wood	Short to Medium (15-25 yrs)		1000-2000	Variable deep red to loamy sandy soils
			<i>Syzygium species</i>	Mukoe (Kik) waterberry (Eng)	Mixed system in water courses	Water conservation, timber, edible fruits, medicinal	Medium to long (30-60 yrs)		1000-2500	Swampy and riparian soils
			<i>Bischofia javanica</i>	Bishop wood	Plantation, enrichment planting	Timber	Short (30-40 yrs)		1200-1600	Deep red/loamy soils
			<i>Maesopsis eminii</i>	Mutere	Plantation/mixed /enrichment systems	Timber, reclamation	Short (25-50 yrs)		1200-1600	Deep red/loamy soils, deep, moist and fertile sandy loam soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Zanthoxylum gilletii</i> (Syn. <i>Fagara macrophylla</i>)	East African satinwood, Munyenye (Kik)	Plantation, enrichment planting	Timber, medicinal, ornamental, shade	Medium(30-40yrs)		1200-1900	Deep red to sandy loamy soils
			<i>Cordia abyssinica</i>	Muringa	Plantation	Timber/shade, apiculture	Medium to long (30-60 yrs)		1400-2500	Variable and wide spectrum but deep
			<i>Eucalyptus saligna/grandis</i>	Sydney Blue gum /Rose blue gum	Plantation /woodlots	Fuel, transmission posts, construction, timber, pulp	(Short 15-25 yrs for timber) 5-12 yrs for other uses)		1400-2500	Variable, medium to deep soils
			<i>Sesbania sesban</i>	Sesbania	Agroforestry/ mixed system conservation	Firewood, soil enrichment, water	Short (2-3 yrs)		1400-2500	Variable
			<i>Olea welwitschii</i>	Elgon Teak	Plantation/mixed natural system	Timber	Long (80-120 yrs)		1600-2400	Deep loamy soils
			<i>Eucalyptus regnans</i>	Mountain ash	Plantation /woodlots	Fuel, poles, building, timber	Short (4-6 yrs-poles) (10-20 yrs for timber)		2500-3000	Deep highland forest soils
			<i>A. mearnsii</i>	Black wattle	Plantation/ woodlot	Tanning, fuel	Short - (6-10 yrs)		1600-2000	Deep to medium red to red loam

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
III (800-1400 mm rainfall) HIGHLAND REGION	400-700	600mm	<i>Brachylaena huillensis</i>	Muhugu (Kik)	Mixture/enrichment/natural system	Timber, fuel, carvings, construction, fencing, essential oils	Long (60-100 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	200 - 1850	Red loamy to clay loam sandy soils. red, volcanic clayey loams in plateau forests and red soils in the coastal belts
			<i>Phoenix reclinata</i>	Wild date palm	Mixed system, amenity	Water conservation, basketry, ornamental	Medium to long (30-60 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	0-3000	Swampy and riparian soils
			<i>Vachellia xanthophloea</i> (Syn: <i>Acacia Xanthophloea</i>)	Olerai (Maa)	Mixed systems	Water & soil conservation, soil enrichment, apiculture, medicinal	Medium (30-40yrs)		1000-2000	Riparian soils
			<i>Croton megalocarpus</i>	Mukinduri	Mixed, woodlot, boundary agroforestry managements	Fuel, shelter wood, charcoal, hedge, boundary planting, medicinal	Short (10-25 yrs)		1000-2000	Well adaptable to variable highland soils
			Syzgium species	Mukoe (Kik)	Mixed system in water courses	Water conservation, timber	Medium to long (30-60 yrs)		1000-2500	Swampy and riparian soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Cordia abyssinica</i>	<i>Muringa</i>	Plantation/mixed , woodlots, amenity, agroforestry	Timber, amenity, fuel	Medium to long (30-60 yrs)		1400-2500	Mainly red loamy soils
			<i>Eucalyptus saligna</i>	<i>Sydney blue gum</i>	Plantation/ woodlots/ shelterbelts	Fuel, poles, posts, fencing, timber	Short (5-12 yrs for poles) (15-25 yrs – timber)		1400-2500	Highland loamy Soils
			<i>Eucalyptus grandis</i>	<i>Rose blue gum</i>	Plantation/ woodlots/ shelterbelts	Fuel, poles, posts, fencing, timber	Short (5-12 yrs for poles) (15-25 yrs – timber)		1400-2500	Highland loamy Soils
			<i>Sesbania sesban</i>	<i>Sesban</i>	Agroforestry/ mixed systems	Firewood, soil enrichment, water conservation	Short (2-5yrs)		1400-2500	Variable soils
			<i>Schinus molle</i>	<i>Pepper tree</i>	Boundary/ ornamental planting	Amenity, fuel	Short (8-20 yrs)		1500-3000	Variable red to cotton loamy soils
			<i>Juniperus procera</i>	<i>Cedar</i>	Planation/ woodlots /mixed	Timber, posts, fencing, protection, fibre, lipids	Long (60-100 yrs)		1600-2000	Red loam to rocky shallow drained soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Macheria tippu</i> or <i>Tipuana tipu</i>	Tipuana tipu Rosewood, tipuana tree	Plantation/mixed	Timber	Medium (30-40 yrs)		1600-2000	Red loams to black cotton soils
			<i>Olea africana</i>	Mutamaiyu	Mixed planting	Beams, posts, carvings, fencing, wood fuel	Long (80-120 yrs)		1600-2000	Red to clay loamy soils
			<i>Jacaranda mimosifolia</i>	<i>Jacaranda</i>	Single tree management	Amenity, shade, apiculture, timber, medicinal	Short (4-10 yrs)		1600-2500	Variable soils
			<i>Brachylaena huillensis</i>	Muhugu	Woodlot, mixed, enrichment system	Timber, fencing, carving	Long (60-100 yrs)		200-1850	Mainly red loamy and sandy soils
			<i>Dovyalis caffra</i> synonym <i>Aberia caffra</i>	Kei apple	Hedge management	Hedge	Short to medium (8-25 yrs)		1400-2200	Variable Soils
IV (400 - 800mm rainfall) - LOWLA	200-400 mm	400mm	<i>Borassus aethiopum</i>	Borassus palm	Mixed systems	Water conservation, palm wine, basketry	Medium to long (30-60 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI 	0 - 1400	Variable but mainly riparian, sandy, well-drained soils, but prefers alluvial soils near watercourses

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
NDS			<i>Calliandra calothyrsus</i>	Calliandra	Agroforestry system	Fuel, soil nutrient enhancing, fibre, apiculture	Short (4-10 yrs)	Centers	0-1400	Variable
			<i>Senna siamea</i>	Senna	Plantation/mixed	Timber, fuel, fencing	Short (4-10 yrs)		0-1400	Sandy to sandy-loam
			<i>Casuarina equisetifolia</i>	Whispering pine	Plantation /agroforestry	Timber, fuel, amenity, fibre, medicinal, tannins	Short (4-6 yrs)		0-1400	Sandy soils
			<i>Chlorophora excelsa</i>	Mvule	Plantation/mixed system	Timber, shade	Medium to long (30-60 yrs)		0-1400	Red caly-loamy to sandy loamy soils
			<i>Dalbergia melanoxylon</i>	Mpingo	Plantation/mixed	Timber, fuel, fencing, wood carving, medicinal etc	Long (80-120 yrs)		0-1400	Variable, sandy to sandy-clay, black cotton soils
			<i>Eucalyptus camaldulensis</i>	River red gum	Plantation/shelterbelt woodlot system	Fuel, poles, construction	Short (6-8 yrs)		0-1400	Red clay-loamy to sandy-loamy soils
			<i>Eucalyptus europhylla</i>	Blue gum	Plantation/woodlots	Fuel, poles, posts	Short (5-12yrs)		0-1400	Sandy to clay loams
			<i>Gmelina arborea</i>	Gmelina, white teak	Plantation	Timber, paper, match box, construction,	Short (15-25yrs)		0-1400	Sandy to sandy loam soils moist, fertile, freely drained soils; acid soils, calcareous

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
						fuel, medicinal				soils and laterite soils
			<i>Leucaena leucocephala</i>	<i>Leucaena</i>	Woodlots/ agroforestry systems	Fuel, fodder, nutrient enhancement trees	Short (4-10 yrs)		0-1400	Clay-loamy to sandy soils
			<i>Markhamia lutea</i>	Muu (Kik), Siala (Luhya), Markhamia	Plantation/ amenity agroforestry system	Timber/amenity/soil nutrient input	Short (15-30 yrs)		0-1400	Red loam to clay loamy soils
			<i>Terminalia brownii</i>	Mururuku (Kik)	Woodlots, mixed plantings	Fuel, fodder, posts, medicinal, shade	Short (6-15 yrs)		0-1400	Sandy to sandy/clay loams
			<i>Azadirachta indica</i>	Mwarobaini kamili, Neem	Mixed/enrichment planting system	Timber, fuel, posts, fodder, medicinal	Short 15-25 yrs		0-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Dalbergia melanoxylon</i>	Mpingo	Woodlot/mixed enrichment systems	Timber, fuel, poles, carvings	Medium to long (30-60 yrs)		0-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>E. camaldulensis</i>	River red gum	Plantation/ woodlot/ boundary plantings	Fuel, poles, posts	Short (6-8 yrs)		0-1400	Sandy to sandy-clay soils to riverine clay/sandy soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Gliricidia sepium</i>	Gliricidia	Woodlots/ agroforestry systems	Fuel, fodder, nutrient enhancement trees, apiculture, shade, timber	Short (4-10 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	0-1600	Clay-loamy to sandy soils
			<i>Ficus sycomorus</i>	Mukuyu (Kik), Sycamore (Eng)	Mixed systems	Water conservation, fodder medicinal, shade, food, fibre	Medium to long (30-60 yrs)		0-2000	Riparian soils
			<i>Leucaena leucocephala</i>	Leucaena	Mixed, agroforestry systems	Fuel, fodder, agroforestry, benefit	Short (4-10 yrs)		0-2000	Variable but prefers slightly alkaline
			<i>Faidherbia albida</i>	<i>Olasiti (Maa) Ana-tree</i>	Mixed, woodlot, riverine plantings	Fuel, poles, apiculture	Short (6-15 yrs)		1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Senegalia senegal Syn: Acacia senegal</i>	Gum arabic, Enderkesi (Maa)	Woodlot/mixed enrichment	Fuel, poles, gum arabic production, apiculture	Short 15-25 yrs		1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Vachellia tortilis (Syn: Acacia tortilis)</i>	Sagararam (Maa) umbrella thorn	Mixed enrichment /agroforestry	Fuel, poles, fodder, apiculture	Short 15-25 yrs		1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Senegalia polyacantha</i> (Syn: <i>Acacia polyacantha</i>)	White thorn	Mixed/woodlot systems	Fuel, poles, apiculture	Short 15-25 yrs	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Vachellia seyal</i> (Syn: <i>Acacia seyal</i>)	Oljerai (Maa)Shittim wood	Woodlot/mixed enrichment planting system	Fuel, poles, posts, apiculture	Short 15-25 yrs		1000-1400	Sandy clay to sandy loam soils
			<i>Melia volkensii</i>	Mukau (Ka.) Melia (Eng)	Mixed/ agroforestry systems	Fuel, poles, fodder, timber, apiculture, fodder	Short 15-25 yrs		1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils sandy, clay and shallow stony.
			<i>Tamarindus indica</i>	Tamarind, Mkwaju (Swahili)	Mixed/ agroforestry systems amenity	Fuel, poles, fodder, fruits, apiculture, dye, shade timber	Short 15-25 yrs		1000-1400	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Croton megalocarpus</i>	Mukinduri (Kik), Croton (Eng)	Woodlot/mixed enrichment systems	Fuel, Agropoles, medicinal, apiculture, timber, soil improver shade	Short to Medium (15-25 yrs)		1000-2000	Sandy to sandy-clay soils to riverine clay/sandy soils
			<i>Balanites aegyptiaca</i>	Desert date	Mixed/ enrichment planting system	Timber, fuel, edible fruits	Short 15-25 yrs		500-1400	Sandy to sandy-clay soils to riverine clay/sandy soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Azadirachta indica</i> (Mwarobaini)	Mwarobaini, Neem	Plantation/mixed	Timber, fuel, fencing, amenity, medicinal	Short (6-15 yrs)		0 - 1400	Sandy to sandy-loam
V - VI (Under 400 mm rainfall)	< 200 mm	200mm (Normal)	<i>Brachystegia spiciformis</i>	Mrithi, zebra wood, bean-pod tree (Eng)	Mixture/enrichment/natural system	Timber, railway sleepers. Ornamental, medicinal, apiculture, fuel, fibre, fodder, tannins	Long (60-100yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	0-200	Red loamy to clay loam sandy soils, avoids poorly drained shallow soils
			<i>Hyphaene coriacea</i>	Doum palm	Mixed systems	Water conservation, basketry	Medium to long (30-60 yrs)		0-1000	Sandy riparian soils
			<i>Senegalia senegal</i> (Syn: <i>Acacia senegal</i>)	Gum arabic, Enderkesi (Maa)	Woodlot/mixed/enrichment planting	Fuel, poles, gum arabic	Short 15-25 yrs		1000-1400	Sandy clay to sandy loam soils
			<i>Cordia sinensis</i>	Oseki (Maa) grey-leaved cordia (Eng)	Woodlot/enrichment systems	Fuel, poles, fodder, timber, gum, food	Short to Medium (15-25 yrs)		1000-1500	Sandy clay to sandy loam soils

ECO-ZONE	OND Average Seasonal Rainfall	OND 2018 Forecast average season rainfall	Tree Species	Common Name	Management Options	End Use	Rotation	Tree/fruit Nurseries	Altitude (m)	Preferred Soil Type
			<i>Salvadora persica</i>	Toothbrush tree, mustard tree, mustard bush	Woodlot/enrichment systems	Fodder, soil, protection, amenity, food, timber, tannins, apiculture, shade, reclamation	Short to Medium (15-25 yrs)	<ul style="list-style-type: none"> • KFS Ecosystem Conservators • KEFRI Centers 	1000-1500	Sandy clay to sandy loam soils
			<i>Ziziphus mauritiana</i>	Chinee apple, jujube, Indian plum Mkunazi (Swahili)	Hedge planting management	Live fencing, fruits, food, fuel, alcohol, medicinal	Short to Medium (15-25 yrs)		1000-1500	Sandy clay to sandy loam soils
			<i>Vachellia tortilis</i> (Syn: <i>Acacia tortilis</i>)	<i>Sagararam</i> (Maa)	Mixed, enrichment, agroforestry systems	Fuel, poles, fodder, apiculture	Short to medium 15-25 yrs		1000-1400	Sandy clay to sandy loam soils

Attached is the list of:

- [Kenya Forest Service Ecosystem Conservator Offices](#)
- [KEFRI Centres and Sub-centres](#)
- [Agro-Ecological Zones Map](#)
- [Predicted Rainfall distribution map \(October-November-December 2018\)](#)

KFS Ecosystem Conservator Offices

Ecosystem Conservator Kiambu

Muguga,
P.o. Box 74
Kikuyu
Telephone: 0709751822
Email: zmkiambu@kenyaforestservice.org

Ecosystem Conservator Murang'a

Murang'a Town,
P.o. Box 546
Murang'a
Telephone: 0572511152
Email: zmmuranga@kenyaforestservice.org

Ecosystem Conservator Kirinyaga

Kirinyaga Town,
P.o. Box 22
Kutus
Telephone: 0709751824
Email: zmkirinyaga@kenyaforestservice.org

Ecosystem Conservator Nyeri

Nyeri Town,
P.o. Box 28
Nyeri
Telephone: 0709751871
Email: zmnyeri@kenyaforestservice.org

Ecosystem Conservator Nyandarua

Ol-karau Town,
P.o. Box 289
Ol-kalau
Telephone: 0709751823
Email: zmnyandarua@kenyaforestservice.org

Ecosystem Conservator Laikipia

Nyahururu,
P.o. Box 8,
Nyahururu
Telephone: 0722 336596
Email: zmlaikipia@kenyaforestservice.org

Ecosystem Conservator Nairobi

Ngong Road Forest Station
P.o. Box 30513
Nairobi
Email: zmnairobi@kenyaforestservice.org

Ecosystem Conservator Embu

Embu Town, Opposite Embu Police HQS
P.o. Box 2
Embu
Telephone: 0709751860
Email: zmembu@kenyaforestservice.org

Ecosystem Conservator Meru

Meru Town,
P.o. Box 110
Meru
Telephone: 0709751857
Email: zmmerucentral@kenyaforestservice.org

Ecosystem Conservator Tharaka Nithi

Chuka Town,
P.o. Box 210
Chuka
Telephone: 0709751841
Email: zmtharaka@kenyaforestservice.org

Ecosystem Conservator Kitui

Kitui Town,
P.o. Box 106
Kitui
Cellphone: 0709751858
Email: zmkitui@kenyaforestservice.org

Ecosystem Conservator Machakos

Machakos Town,
P.o. Box 2
Machakos
Telephone: 0709751872
Email: zmmachakos@kenyaforestservice.org

Ecosystem Conservator Makueni

Wote Town,
P.o. Box 395
Wote
Telephone: 0202338589
Email: zmmakueni@kenyaforestservice.org

Ecosystem Conservator Garissa

Garissa Town,
P.o. Box 89
Garissa
Telephone: 0709751859
Email: zmgarissa@kenyaforestservice.org

Ecosystem Conservator Wajir

Wajir Town,
P.o. Box 48
Wajir
Telephone:0709751875
Email: zmwajir@kenyaforestservice.org

Ecosystem Conservator Mandera

Mandela Town,
P.o. Box 65
Mandera
Telephone: 0709751842
Email: zmandela@kenyaforestservice.org

Ecosystem Conservator Isiolo

Isiolo Town,
P.o. Box 141
Isiolo
Telephone: 0709751840
Email: zmisiolo@kenyaforestservice.org

Ecosystem Conservator Marsabit

Marsabit Town,
P.o. Box 27
Marsabit
Telephone: 0692072
Email: zmmarsabit@kenyaforestservice.org

Ecosystem Conservator Samburu

Maralal Town,
P.o. Box 110
Maralal
Telephone:0709751862
Email: zmsamburu@kenyaforestservice.org

Ecosystem Conservator Mombasa

Mombasa Town, Kenya Forest Building
P.o. Box 80078
Mombasa
Telephone: 02035022903
Email: zmmombasa@kenyaforestservice.org

Ecosystem Conservator Taita Taveta

Wundanyi Town,
P.o. Box 1043
Wundanyi
Telephone: 0709751874
Email: zmtaitaveta@kenyaforestservice.org

Ecosystem Conservator Kwale

Kwale Town,
P.o. Box 5
Kwale
Telephone: 0709748858
Email: zmkwale@kenyaforestservice.org

Ecosystem Conservator Kilifi

Kilifi Town,
P.o. Box 247
Kilifi
Telephone: 0709751870
Email: zmkilifi@kenyaforestservice.org

Ecosystem Conservator Lamu

LamuTown,
P.o. Box 7
Mokowe
Telephone: 0709751864
Email: zmlamu@kenyaforestservice.org

Ecosystem Conservator Tana River

Hola Town,
P.o. Box 18
Hola
Telephone: 0709751869
Email: zmtanariver@kenyaforestservice.org

Ecosystem Conservator Nakuru

Elbagon Town,Elburgon near Timsales
P.o. Box 25
Nakuru
Telephone: 0709751829
Email: zmnakuru@kenyaforestservice.org

Ecosystem Conservator Baringo

Eldamaravin Town,
P.o. Box 54
Kabarnet
Telephone: 0709748860
Email: zmbaringo@kenyaforestservice.org

Ecosystem Conservator Narok

Narok Town,
P.o. Box 34
Narok
Telephone: 0709751873
Email: zmnarok@kenyaforestservice.org

Ecosystem Conservator Kajiado

KajiadoTown,
P.o. Box 229
Kajiado
Telephone: 04521150
Email: zmkajiado@kenyaforestservice.org

Ecosystem Conservator Kericho

Londiani College
P.o. Box 1
Londiani
Telephone: 0709751825
Email: zmericho@kenyaforestservice.org

Ecosystem Conservator Bomet

Bomet Town,
P.o. Box 304
Bomet
Telephone:0709751807
Email: zmbomet@kenyaforestservice.org

Ecosystem Conservator Uasin Gishu

Eldoret Town,
P.o. Box 41
Eldoret
Telephone: 0709748857
Email: zmuasingishu@kenyaforestservice.org

Ecosystem Conservator Nandi

Kapsabet Town,
P.o. Box 235
Kapsabet
Telephone:0709751861
Email: zmnandinorth@kenyaforestservice.org

Ecosystem Conservator Turkana

Lodwar Town,
P.o. Box 39
Lodwar
Telephone: 0709751831
Email: zmturkana@kenyaforestservice.org

Ecosystem Conservator West Pokot

Kapenguria Town,
P.o. Box 42
Kapenguria
Telephone: 0709751844
Email: zmwestpokot@kenyaforestservice.org

Ecosystem Conservator Trans-nzoia

Kitale Town,
P.o. Box 99
Kitale
Telephone: 0709748864
Email: zmtransnzoia@kenyaforestservice.org

Ecosystem Conservator Elgeyo-Marakwet

ItenTown,
P.o. Box 397
Iten
Telephone: 0709748859
Email: zmmarakwet@kenyaforestservice.org

Ecosystem Conservator Kakamega

KakamegaTown,
P.o. Box 1233
Kakamega
Telephone: 0709751830
Email: zmkakamega@kenyaforestservice.org

Ecosystem Conservator Vihiga

Maragoli Town,
P.o. Box 781
Maragoli
Telephone: 05651194
Email: zmvihiga@kenyaforestservice.org

Ecosystem Conservator Bungoma

BungomaTown,
P.o. Box
Bungoma
Telephone: 0208004832
Email: zmbungoma@kenyaforestservice.org

Ecosystem Conservator Busia

Busia Town,
P.o. Box 111
Busia
Telephone: 0709751827
Email: zmbusia@kenyaforestservice.org

Ecosystem Conservator Kisumu

Kisumu Town,
P.o. Box 1048
Kisumu
Telephone: 0709751796
Email: zmkisumu@kenyaforestservice.org

Ecosystem Conservator Siaya

Siaya Town,
P.o. Box 376
Siaya
Telephone: 0709751880
Email: zmsiaya@kenyaforestservice.org

Ecosystem Conservator Homa Bay

Homa Bay Town,
P.o. Box 46
Homa Bay
Telephone:0709751821
Email: zmhomabay@kenyaforestservice.org

Ecosystem Conservator Migori

Migori Town,
P.o. Box 21
Migori
Telephone: 0770474909
Email: zmmigori@kenyaforestservice.org

Ecosystem Conservator Kisii

Kisii Town,
P.o. Box 775
Kisii
Telephone:0709751878
Email: zmkisii@kenyaforestservice.org

Ecosystem Conservator Nyamira

Nyamira Town, KFS Building Behind Governor's
Office
P.o. Box 46
Konate Nyamira
Telephone: 0709751879
Email: zmnyamira@kenyaforestservice.org

KEFRI CENTRES AND SUB-CENTRES

KEFRI MUGUGA (HQ)

P.O BOX 20412 - 00200 Nairobi
enterprise@kefri.org
020 236 5157, +254 (0) 722 629 905

KEFRI MUGUGA (SEED CENTER)

P.O BOX 20412 - 00200 Nairobi
esseedcenter@kefri.org
+254 (0) 728 755 919

KEFRI NYERI SUB-CENTRE

P.O BOX 12069 Nyeri
+254 20 2386354

KEFRI KITUI

P.O BOX 892-90200 Kitui
eskitui@kefri.org
+254 (0) 722 938 716
+254 20 23863/5/6

KEFRI KIBWEZI SUB-CENTRE

P.O BOX 87 – 90137 Kibwezi
+254 572 508 150

KEFRI GARISSA SUB-CENTRE

P.O BOX 1483 – 70100 Garissa
+254 774 193 295

KEFRI LONDIANI

P.O BOX 382 -20203 Londiani
cldodiani@kefri.org
+254 (0) 728 755 919

KEFRI BARINGO SUB-CENTRE (MARIGAT)

P.O BOX 57 30403 Marigat
esbaringo@kefri.org
+254 (0) 721 648 446

KEFRI TURBO SUB-CENTRE

P.O BOX 5 Turbo
+254 20 2579856,
+254 722 673759

KEFRI TURKANA (LODWAR)

P.O BOX 468 Lodwar
eslodwar@kefri.org
+254 (0) 713 503 615

KEFRI MASENO

P.O BOX 25199 – 40108 Otonglo, Kisumu
cdmaseno@kefri.org
+254 (0) 713 687975
+254 573 51164

KEFRI MIGORI SUB-CENTRE

P.O BOX 25199 – 40108 Otonglo, Kisumu

KEFRI KAKAMEGA

P.O BOX 1901 Kakamega
+254 57 250 0138


KEFRI GEDE

P.O BOX 1078-80200 Malindi
eslamu@kefri.org
cdgede@kefri.org
+254 (0) 710 719 855, +254 42 32022

KEFRI LAMU SUB-CENTRE

P.O BOX 71 - 80502 Mokowe

Counties and Agro-Ecological Zone



Legend

- Kenya Counties
- Major Lakes
- Agro-Ecological Zones**
- Humid
- Sub Humid
- Semi Humid
- Semi Humid to Semi-Arid
- Semi Arid
- Arid
- Very Arid

1 BARINGO	13 KIAMBU	25 MIGORI	37 NYERI
2 BOMET	14 KILIFI	26 MOMBASA	38 SAMBURU
3 BUNGOMA	15 KIRINYAGA	27 MURANGA	39 SIA YA
4 BUSIA	16 KITUI	28 NAIROBI	40 TAITA TAVETA
5 EMBU	17 KWALE	29 NAKURU	41 TANA RIVER
6 GARISSA	18 LAIKIPIA	30 NANDI	42 TRANS NZOIA
7 KISII	19 LAMU	31 NAROK	43 TURKANA
8 HOMA BAY	20 MACHAKOS	32 THARAKA	44 UASIN GISHU
9 ISIOLO	21 MAKUENI	33 MERU	45 VIHIGA
10 KAJIADO	22 MANDERA	34 NYAMIRA	46 WAJIR
11 KAKAMEGA	23 MARAKWET	35 NYANDARUA	47 POKOT
12 KERICHO	24 MARSABIT	36 KISUMU	

Forecast for the Season of October- November- December 2018

